

## Certificate of Analysis



**Product:** Zativa – 750 mg Full Spectrum Hemp Seed Oil Tincture

**Part Number:** T088


**Version Number:** 1.0

**Batch Number:** 11868

**Best-By Date:** 03/26/2022

Characteristic	Instrument	Specification	Result	Pass/ Fail/ N/A
<b>Identity</b>				
Color & Appearance	Visual	Golden tinted oily liquid	Complies	Pass
Odor	Organoleptic	Characteristic of standard	Complies	Pass
Taste	Organoleptic	Neutral to bitter	Complies	Pass
<b>Composition</b>				
Density	Calculation	0.908 – 0.955 g/mL	0.930 g/mL	Pass
Fill Volume	In-process verification	30.0 – 31.5 mL/bottle	Complies	Pass
<b>Strength - Cannabinoids</b>				
Total CBD	HPLC	750.0 – 1,020.0 mg/bottle	885.0 mg/bottle	Pass
Total THC	HPLC	< 0.30%	0.05%	Pass
<b>Contaminants - Residual Solvents</b>				
Acetone	GC-FID	< 1,000 ppm	S.L.*	N/A
Butanes	GC-FID	< 1,000 ppm	S.L.*	N/A
Ethanol	GC-FID	< 1,000 ppm	S.L.*	N/A
Heptanes	GC-FID	< 1,000 ppm	S.L.*	N/A
Isopropyl Alcohol	GC-FID	< 1,000 ppm	S.L.*	N/A
Propane	GC-FID	< 1,000 ppm	S.L.*	N/A
Benzene	GC-FID	< 2 ppm	S.L.*	N/A
Toluene	GC-FID	< 180 ppm	S.L.*	N/A
Pentane	GC-FID	< 1,000 ppm	S.L.*	N/A
Hexane	GC-FID	< 60 ppm	S.L.*	N/A
Total Xylenes (m,p,o-xylenes)	GC-FID	< 430 ppm	S.L.*	N/A
<b>Contaminants - Pesticides</b>				
Abamectin (avermectins: B1a & B1b)	GC-MS / LC-MS	< 0.07 ppm	S.L.*	N/A
Azoxystrobin	GC-MS / LC-MS	< 0.02 ppm	S.L.*	N/A
Bifenazate	GC-MS / LC-MS	< 0.02 ppm	S.L.*	N/A
Etoazole	GC-MS / LC-MS	< 0.01 ppm	S.L.*	N/A
Imazalil	GC-MS / LC-MS	< 0.04 ppm	S.L.*	N/A
Imidacloprid	GC-MS / LC-MS	< 0.02 ppm	S.L.*	N/A
Malathion	GC-MS / LC-MS	< 0.05 ppm	S.L.*	N/A
Myclobutanil	GC-MS / LC-MS	< 0.04 ppm	S.L.*	N/A
Permethrin (mix of isomers)	GC-MS / LC-MS	< 0.04 ppm	S.L.*	N/A
Spinosad (mixture of A and D)	GC-MS / LC-MS	< 0.06 ppm	S.L.*	N/A
Spiromesifen	GC-MS / LC-MS	< 0.03 ppm	S.L.*	N/A
Spirotetramat	GC-MS / LC-MS	< 0.02 ppm	S.L.*	N/A
Tebuconazole	GC-MS / LC-MS	< 0.01 ppm	S.L.*	N/A

## Certificate of Analysis

	<b>Product:</b>	Zativa – 750 mg Full Spectrum Hemp Seed Oil Tincture		
	<b>Part Number:</b>	T088	<b>Version Number:</b>	1.0
	<b>Batch Number:</b>	11868	<b>Best-By Date:</b>	03/26/2022


Characteristic	Instrument	Specification	Result	Pass/ Fail/ N/A
<b>Contaminants - Heavy Metals</b>				
Arsenic	ICP-MS	< 10.00 µg/mL	S.L.*	N/A
Cadmium	ICP-MS	< 4.10 µg/mL	S.L.*	N/A
Lead	ICP-MS	< 0.50 µg/mL	S.L.*	N/A
Mercury	ICP-MS	< 0.30 µg/mL	S.L.*	N/A
<b>Microbial Purity</b>				
Total Plate Count	PCR / Plate / Petrifilm	< 3,000 CFU/g	S.L.*	N/A
Yeast & Mold	PCR / Plate / Petrifilm	< 300 CFU/g	S.L.*	N/A
Shiga-toxin producing <i>Escherichia coli</i> (STEC)	PCR / Plate / Petrifilm	< 10 CFU/g	S.L.*	N/A
<i>Salmonella spp.</i>	PCR / Plate / Petrifilm	< 10 CFU/g	S.L.*	N/A

\* S.L. means "Skip Lot". Parameters are being monitored through product qualification testing and are currently in skip lot protocol.

\*\* Result was acquired by 3<sup>rd</sup> party laboratory.

Reviewed By: 

Date: 10.07.19

Approved By: 

Date: 10.7.19